

RISING DRAGON INTERNATIONAL INC.

1510 Randolph Dr.SW Cleveland, TN 37311

Office: 423-351-9379

Email: sales@risingdragon.us

GUANGZHOU RISING DRAGON RECREATION INDUSTRIAL CO., LTD.

Headquarter & Factory (P.R.C.):

#19 Yongsheng Rd, Yonghe District of GETD Guangzhou City, Guangdong, P.R.China

Tel:020-82986986

Fax:020-82986198

Email: michael@rdt-recreation.com



20
**RISING
DRAGON**
BUILD BETTER SPAS
23



The Rising Dragon Group of Companies began in 2000 with the establishment of the Cover and lighting divisions. Later we added the Plastics and Billiards divisions. All divisions operate ISO9001 manufacturing facilities and were developed for the export market...

Rising Dragon is truly a unique company, blending the best of both Western and Chinese business principles and best practices. This has in turn lead to a company that is open-minded, creative, innovative, competitive, and solution oriented.

Rising Dragon's commitment to superior quality raw materials and excellence in design and manufacturing techniques is positioning us as one of the fastest growing and most reliable suppliers in the global spa industry.

BUILD BETTER SPAS.™

Quality First, Service Oriented

TABLE OF CONTENTS

COMPANY PROFILE

JETS	1
ALPHA JETS	2
DIRECT JETS	13
THERAPY AIR INJECTORS	15
THERAPY AIR INJECTORS(NUT VERSION)	16
PEPPER LEAF JETS	18
Sun Blaster JETS	21
BLINKING JETS	23
WHIRLPOOL JETS	24
BACKLIT FITTINGS	28
SPA FITTINGS	29
UNIONS	30
OZONE PRODUCTS	32
SPECIALTY PARTS	34
AIR FITTINGS	35
MANIFOLDS	37
GENERAL FITTINGS	41
WATER VALVES	43
VALVES	44
DRAIN FITTINGS	45
SUCTIONS	46

FILTERS/FILTRATIONS	48
AROMATHERAPY	52
LIGHT LENSES	54
MINI POL HOUSINGS	55
INSTALLATION NOTES	56
POOL & SPA LIGHTS	57
PINNACLE™ SERIES (2 WIRE SYSTEM)	58
PINNACLE PLUS SERIES (2 WIRE SYSTEM & SPEED CLAMP)	63
INDUCTIVE SPA LIGHT	64
NEW LIGHTING SYSTEMS	65
EVOLUTION PLUS SERIES (4 WIRE SYSTEM)	66
EVOLUTION™ SERIES (4 WIRE SYSTEM)	70
ELECTRUM™ SERIES	74
LUMI-SOFT™ LIGHTING SERIES	75
SPA ACCESSORIES	79
SPA COVERS	80
SPA COVER BAGS	81
COVER LIFTERS	82
COVER SAVER & HAND RAILS	84
EVA SPA PILLOWS	85

GUIDELINES



CLIPLESS & BEARINGLESS JETS

One of the first plastic projects Rising Dragon executed was the creation of the now patented "Axis" bearingless jet.

These self-cleaning jets use a floating stainless steel shaft seated into a forward steel bushing, instead of bearings, which can become easily clogged with suspended debris in the water. The pin spins more freely as well delivering a better massage with less horsepower.

We did not stop with this patented idea. Product durability and performance continue to dominate the development focus for all our jet products. We are continually seeking better and more forgiving raw materials and designs to offset end client water chemistry mistakes.

Many new jets have been added to the line up this year, and still more are under development .

Quantum jet technology from Rising Dragon is the only jet offered in the market that effectively deals with the post sale consumer problems long associated with water chemistry. Patent pending technology eliminates jets popping out and keep both dealers and end consumers from the headaches and costs of after-market service and replacement. All Quantum jets are made with specially formulated plastic that is "tried and true" in all water sanitizers and, of course, our patent pending threaded design that incorporates on and off functions without the use of clips.

We offer full private labeling design faces as well as exclusive co-development of your ideas, so ask us how we can make your insight a reality.




ALPHA JETS III


3" Spinning Jet/
Sterling Gray



A Better Classic Deisgn.
The New ALPHA.



Directional Jet




Spinning Jet




3" Spinning Jet/
Standard Gray

New Alpha is evolved based on RDT'S first generation Alpha, with hard textured plastic parts and smoother profile.



Gloss/Brushed finishes are available on stainless steel part.



Jets Available Sizes (both on directional/
spinning jet)
5"/4"/3"/2"

ALPHA JETS

2" JET

RD213-2510



RD213-2610




JET INTERNALS

Part No.	Description	Case Quantity	Remarks
RD213-2510	2" Alpha Face Spinning Jet Internal - Two Tone(Screw-in)	450	/
RD213-2610	2" Alpha Face Directional Jet Internal - Two Tone(Screw-in)	450	/

COLORS


Custom Color and Combinations Available



Standard Grey



Sterling Grey



Graphite Grey



Black

Customize
your own
color

Customize

STAINLESS STEEL



Custom Color and Combinations Available.
Polished,Brushed,Titanium Coated SS surface finish options available.

ALPHA JETS

Nut

Part No.	Description	Case Quantity
RD213-2021	2" Jet nut	2,000



RD213-2021

O-ring

Part No.	Description	Remarks
RD702-0208	2" Jet Seal Gasket	/



RD702-0208



RD213-2001




RD213-2002



RD213-2003

Jet Bodies

Part No.	Description	Case Quantity	Remarks
RD213-2001	3/4" SBx3/8" SB-2" Jet Body (Screw-in)	350	/
RD213-2002	1/2" Socx3/8" SB-2" Jet Body (Screw-in)	350	/
RD213-2003	3/4" RBx3/8" SB-2" Jet Body (Screw-in)	350	/



ALPHA JETS

ALPHA JETS

2.5" JET



JET INTERNALS			
Part No.	Description	Case Quantity	Remarks
RD203-2610	2.5"Alpha Face Directional Jet Internal - Two Tone(Screw-in)	250	/
RD203-2510	2.5"Alpha Face Spinning Jet Internal - Two Tone(Screw-in)	250	/

COLORS

Custom Color and Combinations Available




Custom Color and Combinations Available.
Polished,Brushed,Titanium Coated SS surface finish options available.


Nut		
Part No.	Description	Case Quantity
RD201-2021	2.5" Jet Nut	1,000



O-ring		
Part No.	Description	Remarks
RD701-0208	2.5" Jet O-ring	/
RD702-0218	2.5" Jet Gasket	/



JET BODIES			
Part No.	Description	Case Quantity	Remarks
RD203-2001	3/4" SB x3/8" SB-2.5" Jet Body (Screw-in)	200	/
RD203-2002	1/2" Soc x3/8" SB-2.5" Jet Body (Screw-in)	200	/
RD203-2003	3/4" RB x3/8" SB-2.5" Jet Body (Screw-in)	200	/



ALPHA JETS

ALPHA JETS

3" JET



JET INTERNALS			
Part No.	Description	Case Quantity	Remarks
RD203-3610	3"Alpha Face Directional Jet Internal - Two Tone(Screw-in)	140	/
RD203-3510	3"Alpha Face Single Pulse Internal - Two Tone(Screw-in)	140	/
RD203-3520	3"Alpha Face Twin Pulse Internal - Two Tone(Screw-in)	140	/

COLORS

Custom Color and Combinations Available



Custom Color and Combinations Available.
 Polished,Brushed,Titanium Coated SS surface finish options available.




JET BODIES			
Part No.	Description	Case Quantity	Remarks
RD203-3001	3/4" SB x3/8" SB-3" Jet Body (Screw-in)	140	/
RD203-3002	1/2" Soc x3/8" SB-3" Jet Body (Screw-in)	140	/
RD203-3003	3/4" RB x3/8" SB-2.5" Jet Body (Screw-in)	140	/



Nut		
Part No.	Description	Case Quantity
RD201-3021	3" Jet/Air Control	500



O-ring		
Part No.	Description	Remarks
RD701-0308	3" Jet O-ring	/
RD702-0308	3" Gasket	/



ALPHA JETS

ALPHA JETS

LARGE FACE

LARGE 4"JET



JET INTERNALS			
Part No.	Description	Case Quantity	Remarks
RD203-L4610	Large 4"Alpha Face Drectional Jet Internal - Two Tone(Screw-in)	66	/
RD203-L4510	Large 4"Alpha Face Single Pulse Internal - Two Tone(Screw-in)	66	/
RD203-L4520	Large 4"Alpha Face Twin Pulse Internal - Two Tone(Screw-in)	66	/

Standard Grey

Sterling Grey

Graphite Grey

Black

Customize

Customize your own color

COLORS


Custom Color and Combinations Available




Custom Color and Combinations Available.
 Polished,Brushed,Titanium Coated SS surface finish options available.






Jet Bodies			
Part No.	Description	Case Quantity	Remarks
RD203-4001	3/4" SB x3/8" SB-4" Jet Body (Screw-in)	90	/
RD203-4002	1/2" Soc x3/8" SB-4" Jet Body (Screw-in)	90	/
RD203-4003	3/4" RB x3/8" SB-4" Jet Body (Screw-in)	90	/



Nut		
Part No.	Description	Case Quantity
RD201-4021	4" Jet Nut	460



O-ring		
Part No.	Description	Remarks
RD701-0408	4" Jet O-ring	/
RD702-0408	4" Gasket	/



ALPHA JETS

ALPHA JETS

5"JET




JET INTERNALS

Part No.	Description	Case Quantity	Remarks
RD203-5610	5 " Alpha Face Directional Jet Internal-Two Tone (Screw-in)	48	/
RD203-5510	5 " Alpha Face Single Pulse Internal-Two Tone (Screw-in)	48	/
RD203-5520	5 " Alpha Face Twin Pulse Internal-Two Tone (Screw-in)	48	/

COLORS

Custom Color and Combinations Available



Customize
your own
color

Customize

STAINLESS STEEL



Custom Color and Combinations Available.
Polished,Brushed,Titanium Coated SS surface finish options available.



JET BODIES

Part No.	Description	Case Quantity	Remarks
RD203-5001	3/4 "SB x 3/8 "SB - 5 " Jet Body(Screw-in)	36	/
RD203-5002	1/2 "Soc x 3/8 "SB - 5 " Jet Body(Screw-in)	36	/
RD203-5003	3/4 "Soc x 3/8 "SB - 5 " Jet Body(Air/Water same side)(Screw-in)	36	/
RD203-5004	3/4 "SB x 3/8 "SB - 5 " Jet Body(Screw-in)	36	/
RD203-5005	3/4 "RB x 3/8 "SB - 5 "Jet Jet Body(Screw-in)	36	/



RD201-5021




RD701-0408

Nut

Part No.	Description	Case Quantity
RD201-5021	Nut - (5 " Jet/5 "Light Housing)	120

O-ring

Part No.	Description	Remarks
RD701-0508	5" O-ring	/
RD702-0508	5" Gasket	/



DIRECT JETS



JET INSERTS			
Part No.	Description	Case Quantity	Remarks
RD611-1010	Small Face Direct Jet Insert	1,200	/
RD611-1020	Large Face Direct Jet Insert	1,200	/
RD611-1080	Large Face Bullet Jet Insert	1,000	/
RD201-1420	Large Face Spinning Direct Jet Insert	1,000	/
RD201-1430	Large Face Directional Jet Insert	1,000	/

COLORS

Last Digit Of Part Number Designates Color



STAINLESS STEEL

Smooth
RDXXX-XXXX5




Custom Color and Combinations Available.
Polished,Brushed,Titanium Coated SS surface finish options available.

DIRECT JETS

JET BODIES



SPECIFICATIONS



JET BODIES

Part No.	Description	Case Quantity	Remarks
RD201-1001	Direct Jet Body -3/4 " SBx3/8" SB	1,200	/
RD201-1002	Direct Jet Body -1/2 "Socx3/8" SB	450	/
RD202-1001	Low Profile Direct Jet Body -3/4 "Spgx3/8" SB	500	/
RD202-1002	Low Profile Direct Jet Body -1/2 "Socx3/8" SB	500	/
RD202-1003	Low Profile Direct Jet Body -3/4 "RBx3/8" SB	500	/

THERAPY AIR INJECTORS




JET INSERTS

Part No.	Description	Case Quantity	Remarks
RD611-1010	Small Face Direct Jet Insert	1,200	/
RD611-1020	Large Face Direct Jet Insert	1,200	/
RD611-1040	Multi-flow Air Injector Insert	1,000	/

COLORS

Last Digit Of Part Number Designates Color



Custom Color and Combinations Available.
 Polished,Brushed,Titanium Coated SS surface finish options available.

AIR INJECTOR BODIES


Part No.	Description	Case Quantity
RD611-1012	Therapy Air Injector Body - 3/8" SBx2	800
RD611-1013	Therapy Air Injector Body - 3/8" SBx1	800



RD611-1012

RD611-1013

SPECIFICATIONS



THERAPY AIR INJECTORS(NUT VERSION)



JET INSERTS

Part No.	Description	Case Quantity	Remarks
RD612-1010	Small Face Therapy Air Injector Insert(Nut Version)	1,000	/
RD612-1040	Multi-flow Air Injector Insert(Nut Version)	1,000	/

COLORS

Last Digit Of Part Number Designates Color




Custom Color and Combinations Available.
 Polished,Brushed,Titanium Coated SS surface finish options available.


II THERAPY AIR INJECTORS(NUT VERSION)



Nut		
Part No.	Description	Case Quantity
RD612-1003	Therapy Air Injector nut	1,500



Jet Bodies			
Part No.	Description	Case Quantity	Remarks
RD612-1001	Therapy Air Injector Tee- 3/8" SBx2	1,500	/
RD612-1002	Therapy Air Injector ELL- 3/8" SBx1	1,500	/



PEPPER LEAF JETS II

2"JET



JET INTERNALS			
Part No.	Description	Case Quantity	Remarks
RD213-2110	2"Pepper Leaf Face Spinning Jet Internal - Two Tone(Screw-in)	250	/
RD213-2210	2"Pepper Leaf Face Directional Jet Internal - Two Tone(Screw-in)	250	/



STAINLESS STEEL
 RDXXX-XXXXS
 Custom Color and Combinations Available.
 Polished,Brushed,Titanium Coated SS surface finish options available.

2.5"JET



JET INTERNALS			
Part No.	Description	Case Quantity	Remarks
RD203-2110	2.5"Pepper Leaf Face Spinning Jet Internal - Two Tone(Screw-in)	250	/
RD203-2210	2.5"Pepper Leaf Face Directional Jet Internal - Two Tone(Screw-in)	250	/



STAINLESS STEEL
 RDXXX-XXXXS
 Custom Color and Combinations Available.
 Polished,Brushed,Titanium Coated SS surface finish options available.

PEPPER LEAF JETS

PEPPER LEAF JETS

3"JET



JET INTERNALS

Part No.	Description	Case Quantity	Remarks
RD203-3110	3 "Pepper Leaf Face Single Pulse Internal - Two Tone (Screw-in)	140	/
RD203-3120	3 "Pepper Leaf Face Twin Pulse Internal - Two Tone (Screw-in)	140	/
RD203-3210	3 "Pepper Leaf Face Directional Jet Internal - Two Tone (Screw-in)	140	/



STAINLESS STEEL
 RDXXX-XXXX**S**
 Custom Color and Combinations Available.
 Polished,Brushed,Titanium Coated SS surface finish options available.

LARGE 4"JET



JET INTERNALS

Part No.	Description	Case Quantity	Remarks
RD203-L4110	Large 4 "Pepper Leaf Face Single Pulse Internal - Two Tone(Screw-in)	66	/
RD203-L4120	Large 4 "Pepper Leaf Face Twin Pulse Internal - Two Tone(Screw-in)	66	/
RD203-L4210	Large 4 "Pepper Leaf Face Directional Jet Internal - Two Tone(Screw-in)	66	/



STAINLESS STEEL
 RDXXX-XXXX**S**
 Custom Color and Combinations Available.
 Polished,Brushed,Titanium Coated SS surface finish options available.

5"JET



JET INTERNALS

Part No.	Description	Case Quantity	Remarks
RD203-5110	5 "Pepper Leaf Face Single Pulse Internal - Two Tone (Screw-in)	48	/
RD203-5120	5 "Pepper Leaf Face Twin Pulse Internal - Two Tone (Screw-in)	48	/
RD203-5210	5 "Pepper Leaf Face Directional Jet Internal - Two Tone (Screw-in)	48	/




STAINLESS STEEL
 RDXXX-XXXX**S**
 Custom Color and Combinations Available.
 Polished,Brushed,Titanium Coated SS surface finish options available.

Sun Blaster JETS

2"JET



JET INTERNALS			
Part No.	Description	Case Quantity	Remarks
SB213-2110	2" Sun Blaster Spinning Jet Internal - Two Tone (Screw-in)	350	/
SB213-2310	2" Sun Blaster Directional Jet Internal - Two Tone (Screw-in)	350	/



STAINLESS STEEL
 RDXXX-XXXX**S**
 Custom Color and Combinations Available.
 Polished,Brushed,Titanium Coated SS surface finish options available.

3"JET



JET INTERNALS			
Part No.	Description	Case Quantity	Remarks
SB203-3110	3" Sun Blaster Single Pulse Jet Internal- Two Tone (Screw-in)	140	/
SB203-3120	3" Sun Blaster Twin Pulse Jet Internal- Two Tone (Screw-in)	140	/
SB203-3710	3" Sun Blaster Directional Jet Internal- Two Tone (Screw-in)	140	/



STAINLESS STEEL
 RDXXX-XXXX**S**
 Custom Color and Combinations Available.
 Polished,Brushed,Titanium Coated SS surface finish options available.

Sun Blaster JETS

4"JET



JET INTERNALS			
Part No.	Description	Case Quantity	Remarks
SB203-4110	4" Sun Blaster Single Pulse Jet Internal- Two Tone (Screw-in)	72	/
SB203-4120	4" Sun Blaster Twin Pulse Jet Internal- Two Tone (Screw-in)	72	/
SB203-4310	4" Sun Blaster Directional Jet Internal- Two Tone (Screw-in)	72	/



STAINLESS STEEL
 RDXXX-XXXX**S**
 Custom Color and Combinations Available.
 Polished,Brushed,Titanium Coated SS surface finish options available.

5"JET



JET INTERNALS			
Part No.	Description	Case Quantity	Remarks
SB203-5110	5" Sun Blaster Single Pulse Jet Internal- Two Tone (Screw-in)	42	/
SB203-5120	5" Sun Blaster Twin Pulse Jet Internal- Two Tone (Screw-in)	42	/
SB203-5710	5" Sun Blaster Directional Jet Internal- Two Tone (Screw-in)	42	/



STAINLESS STEEL
 RDXXX-XXXX**S**
 Custom Color and Combinations Available.
 Polished,Brushed,Titanium Coated SS surface finish options available.

BLINKING JETS

NEW



JET INTERNALS			
Part No.	Description	Case Quantity	Remarks
RD201-1500-000	1" Blinking Face Jet Internal	1000	/
RD201-3800-000	3" Blinking Diamond Cut Face Directional Jet Internal	140	/
RD201-3810-000	3" Blinking Diamond Cut Face Spinning Jet Internal	140	/
RD201-5850-000	5" Blinking Diamond Cut Face Directional Jet Internal	48	/
RD201-5860-000	5" Blinking Diamond Cut Face Spinning Jet Internal	48	/

COLORS



- Custom colors and combinations available
- Stainless Steel diamond cut Jet face is coming soon...

WHIRLPOOL JETS

WHIRLPOOL JETS




JET INTERNALS			
Part No.	Description	Case Quantity	Remarks
RD203-8410	Whirlpool Scallop Face Jet Internal (Screw-in)	27	/
RD213-8410	Whirlpool Scallop Face Jet Internal (Screw-in)	27	/
RD213-8710	Whirlpool Alpha Face Foot Massage Jet Internal with On/Off (Screw-in) - Two Tone	27	/
RD203-8510	Whirlpool Jet - 5 "Scallop Face Internal (Screw-in)	27	/
RD213-8510	Whirlpool Jet - 5 "Scallop Face Internal With On/Off (Screw-in)	27	/
RD203-8210	Whirlpool Jet - 5 "Alpha Face Internal (Screw-in)	27	/
RD213-8210	Whirlpool Jet - 5 "Alpha Face Internal With On/Off (Screw-in)	27	/
RD203-8310	Whirlpool Pepper Leaf Face Jet Internal - Two Tone (Screw-In)	27	/

WHIRLPOOL JETS

COLORS

Custom Color and Combinations Available



Standard Grey

Sterling Grey

Graphite Grey

Black

Customize
your own
color

Customize

STAINLESS STEEL



Smooth



Foot Massage Jet



5" Smooth



Alpha Face



Scalloped

Custom Color and Combinations Available.
Polished,Brushed,Titanium Coated SS surface finish options available.

WHIRLPOOL JETS

RD411- 0422



ADAPTER

Part No.	Description	Remarks
RD411- 0422	1/2 "Spg x 3/8" SB Adapter	/



RD201-8051



RD201-8052



RD201-8053

ORIFICES

Part No.	Description	Remarks
RD201-8051	3/4" Orifice insert	/
RD201-8052	5/8" Orifice insert	/
RD201-8053	1/2" Orifice insert	/



RD203-8001



RD203-8002



RD203-8003



RD203-8004

Jet Bodies

Part No.	Description	Case Quantity	Remarks
RD203-8001	Whirlpool Jet Body 1 "Soc x 1/2" Soc air(Screw-in)	48	/
RD203-8002	Whirlpool Jet Body 1 1/2"Soc x 1/2" Soc air(Screw-in)	48	/
RD203-8003	Whirlpool Jet Body 1 1/2"Spg x 1/2" Soc air(Screw-in)	48	/
RD203-8004	Whirlpool Jet Straight Body 1 1/2"Soc x 3/8" Spg air(Screw-in)w/o O-ring Groove	48	/


WHIRLPOOL JETS



Nut		
Part No.	Description	Case Quantity
RD201-5021	Nut - (5" Jet/5" Light Housing	120



O-ring		
Part No.	Description	Remarks
RD701-0508	5" O - ring	/
RD702-0508	5" Gasket	/



BACKLIT FITTINGS

BACKLIT FITTINGS		
Part No.	Description	Remarks
RD233-2001	3/4"SB x 3/8"B-2"Jet Body (Screw-in)-Clear	/
RD233-2002	1/2"Soc x 3/8"B-2"Jet Body (Screw-in)-Clear	/
RD233-2003	3/4"RB x 3/8"B-2"Jet Body (Screw-in)-Clear	/
RD213-2022	2"Jet Backlit Nut	/
RD223-2001	3/4"SB x 3/8"B-2.5"Jet Body (Screw-in)-Clear	/
RD223-2002	1/2"Soc x 3/8"B-2.5"Jet Body (Screw-in)-Clear	/
RD223-2003	3/4"RB x 3/8"B-2.5"Jet Body (Screw-in)-Clear	/
RD221-2021	2"Jet Backlit Nut	/
RD223-3001	3/4"SB x 3/8"B-3"Jet Body (Screw-in)-Clear	/
RD223-3002	1/2"Soc x 3/8"B-3"Jet Body (Screw-in)-Clear	/
RD223-3003	3/4"RB x 3/8"B-3"Jet Body (Screw-in)-Clear	/
RD221-3021	3"Jet Backlit Nut	/
RD223-4001	3/4"RB x 3/8"B-4"Jet Body (Screw-in)-Clear	/
RD223-4002	1/2"Soc x 3/8"B-4"Jet Body (Screw-in)-Clear	/
RD223-4003	3/4"RB x 3/8"B-4"Jet Body (Screw-in)-Clear	/
RD221-4021	4"Jet Backlit Nut	/
RD223-5001	3/4"SB x 3/8"B-5"Jet Body (Screw-in)-Clear	/
RD223-4002	1/2"Soc x 3/8"B-4"Jet Body (Screw-in)-Clear	/
RD223-5003	3/4"Soc x 3/8"B-5"Jet Body-Air/Water Same Side(Screw-in)-Clear	/
RD223-5004	3/4"Soc x 3/8"B-5"Jet Body (Screw-in)-Clear	/
RD223-5005	3/4"RB x 3/8"B-5"Jet Body (Screw-in)-Clear	/
RD221-5021	5"Jet Backlit Nut	/



SPA FITTINGS



BUILD BETTER SPAS.™



RD401-1030

Part No.	Description	Case Quantity	Remarks
RD401-1030	2" Spg 90° Sweep Pump Union Assembly	44	/
RD401-1031	2" Spg 90° Sweep Pump Union Body	44	/
RD401-1022	2" Pump Union Nut	160	/
RD701-0011	2" Pump Union Oring-Black	Packed with Body	/



RD401-1040

Part No.	Description	Case Quantity	Remarks
RD401-1040	2" Soc 90° Sweep Pump Union Assembly	44	/
RD401-1041	2" Spg 90° Sweep Pump Union Body	44	/
RD401-1022	2" Pump Union Nut	160	/
RD701-0011	2" Pump Union Oring-Black	Packed with body	/

UNIONS




RD401 - 1010 2"Spg 2 1/2" Pump Union Body

Part No.	Description	Case Quantity	Remarks
RD401-1011	2"Spg 2 1/2" Pump Union Body	96	/
RD401-1012	2"Spg 2 1/2" Pump Union Nut	135	/
RD701-0001	2"Spg 2 1/2" Pump Union Oring - Black	Packed with Body	/

RD401 - 1020 2"Spg 2" Pump Union Body

Part No.	Description	Case Quantity	Remarks
RD401-1021	2"Spg 2" Pump Union Body	96	/
RD401-1022	2"Spg 2" Pump Union Nut	135	/
RD701-0011	2"Spg 2" Pump Union Oring - Black	Packed with Body	/

OZONE PRODUCTS



CLEARCORE™ OZONE REACTION CHAMBER

Almost all spas made these days come with some sort of ozonator or ozone purification system. The fact is when used correctly ozone can really cut the maintenance on a spa and deliver crystal clear water effortlessly. Many people like the idea of a natural system that does not require active involvement of the end customer. However, the challenge for manufacturers is to enable the engineering department to deliver ozone systems that live up to the promises that the marketing department makes.

The first problem lies in the fact that ozone is a gas and we are trying to get it to purify water,a liquid. The best systems on the market use elaborate mixing tanks, specialized injectors, diffusers and often several proprietary set ups all aimed at facilitating an ozone reaction with contaminants in the water.

The CLEARCORE™ Ozone Reaction Chamber merges these separate components into one effective core system, Imagin, one piece to install, which gives you injection,diffusion, mixing, and reaction time. The compact, all-in-one design allows for easy installation either at the factory or in the field and is less than the cost of what some companies would charge for just an injector.

The system is even set up with two small light housings built in to allow the CLEARCORE™ chamber to be backlit with your spas lighting package to make the feature even more noticeable in your customer's eyes.

Finally, an inexpensive system that dose it all,is a snap to install and lives up to it's billing. No ozone system should be installed without this part.

OZONE PRODUCTS

SPECIALTY PARTS



Part No.	Description	Case Quantity	Remarks
RD441-1040	Clear Core Chamber	55	/
RD441-1025	Ozone Difussion Plate	200	/
RD441-1010	2 Port Balance Barometer	40	/
RD441-1026	Diffusion Plate Spacer		/
RD621-0419	2"Spg x 2 " Spg x(2) 3/4" -Flow Divert Manifold	70	/
RD441-1021	Lippert Chamber	40	/
RD411-0429	2"Soc x 3/4 " Spg Adapter - clear	143	/
RD411-0428	2"Soc x 1/2 " Soc Adapter - clear	143	/
RD641-1090	Diffusion Return Wall Fitting Assembly-2"Spg	72	/
RD641-1190	Diffusion Return Wall Fitting Assembly-2"Soc	72	/





Part No.	Description	Case Quantity	Remarks
RD411-0411	3/4" SB Waterfall (Assembly)	50	/
RD411-0430	Water feature	45	/
RD801-1080	Thermo-well	500	/
RD631-1090	Prism Accent Lens Assembly	120	/
RD441-1022	Ozone Diffusion Grate	500	/
RD641-1040	Water slot (Assembly)	300	/
RD801-1010-EU	Pump Mount Kit EU	30	/
RD801-1010-NA	Pump Mount Kit NA	30	/
RD801-1061	Pack Stand (Glass Reinforced Plastic)	20 pair	/
BF801-1100	Rubber Pump Mount	50	/

AIR FITTINGS



Part No.	Description	Case Quantity	Remarks
RD601-2030	1" Air Control Assembly - Index face	168	/
RD601-2040	1" Air Control Assembly - Delta face	168	/
RD601-2050	1" Air Control Assembly - Scalloped "S" cover	168	/
RD601-2330	1" Air Control Assembly - Two Tone Index cover	168	/
RD601-2340	1" Air Control Assembly - Two Tone Delta cover	168	/
RD601-2350	1" Air Control Assembly - Two Tone "S" cover	168	/
RD601-2080	1" Air Control Assembly - Scalloped Index cover	168	/
RD601-2020	1" Air Control Assembly - Scallop Face	168	/
RD601-2390	1" Air Control Assembly - Two Tone Alpha Cover	168	/
RD621-0531	1" Spg x 3/4" SB 90° elbow	500	/
RD621-0515	1" Spg x (4) 3/8" Barbs Air Manifold with 2 Plugs	500	/
RD621-0530	1" Spg x 3/4" SB Tee	500	/

AIR FITTINGS




Part No.	Description	Case Quantity	Remarks
RD621-0509	3/4" SB x 3/4" SB x (6) 3/8" SB Ports - 2-4-6 Manifold	200	/
RD621-0532	3/4" SB x (12) 3/8" SB Air Manifold with 3 Plugs	120	/

MANIFOLDS


1/2" SOCKET




12 Port Manifolds			
Part No.	Description	Case Quantity	Remarks
RD621-0524	2"Spg x2" Spg x(12)1/2"Soc - Manifold	26	/
RD621-0522	2"Soc x2" Soc x(12)1/2"Soc - Manifold	26	/
RD621-0523	2"Soc x2" Spg x(12)1/2"Soc - Manifold	26	/



6 Port Manifolds			
Part No.	Description	Case Quantity	Remarks
RD621-0517	2"Soc 2 1/2" Soc x(6)1/2" Soc- Manifold	38	/
RD621-0518	2"Soc 2 1/2" Spg x(6)1/2" Soc- Manifold	38	/




4 Port Manifolds			
Part No.	Description	Case Quantity	Remarks
RD621-0510	2" Soc x 2" Soc x(4)1/2" Soc- Manifold	48	/
RD621-0511	2" Soc x 2" Spg x(4)1/2" Soc- Manifold	48	/



2 Port Manifolds			
Part No.	Description	Case Quantity	Remarks
RD621-0519	2"Soc x 2" Soc x(2)1/2" Soc- Manifold	62	/
RD621-0520	2"Soc x 2" Spg x(2)1/2" Soc- Manifold	62	/

MANIFOLDS

3/4" SB




PLUG

RD621 - 0516
3/4" Plug
Case Qty: 3,600



12 Port Manifolds


Part No.	Description	Case Quantity	Remarks
RD621-0521	2"Spg x2" Spg x(12)3/4"SB - Manifold	26	/
RD401-0525	2"Soc x2" Soc x(12)3/4"SB - Manifold	26	/
RD621-0526	2"Soc x2" Spg x(12)3/4"SB - Manifold	26	/



6 Port Manifolds

Part No.	Description	Case Quantity	Remarks
RD621-0513	2"Soc x Dead End x(6)3/4"SB - Manifold	46	/
RD621-0507	2"Spg x2" Spg x (6)3/4"SB - Manifold	40	/
RD621-0529	2"Soc x2" Soc x (6)3/4"SB - Manifold	40	/
RD621-0508	2"Soc x2" Spg x (6)3/4"SB - Manifold	36	/

MANIFOLDS



4 Port Manifolds

Part No.	Description	Case Quantity	Remarks
RD621-0512	2"Soc x Dead End x(4)3/4"SB - Manifold	56	/
RD621-0505	2"Spg x2" Spg x (4)3/4"SB - Manifold	48	/
RD621-0528	2"Soc x2" Soc x (4)3/4"SB - Manifold	48	/
RD621-0506	2"Soc x2" Spg x (4)3/4"SB - Manifold	46	/



2 Port Manifolds

Part No.	Description	Case Quantity	Remarks
RD621-0504	2"Soc x2" Spg x(2)3/4" SB- Manifold	60	/
RD621-0514	2"Spg x 2" Spg x(2)3/4" SB- Manifold	70	/



SPECIALTY PART

Part No.	Description	Case Quantity
RD621-0419	2"Spg x 2" Spg x(2)3/4" SB Flow Divert Manifold	70

GENERAL FITTINGS

2" SPG FITTINGS



Part No.	Description	Case Quantity	Remarks
RD621-0414	2"Spg x2"Spg - Moulded Nipple	120	/
RD621-0502	2"Spg x2"Spg - 45° Elbow	85	/
RD621-0503	2"Spg x2"Spg - 90° Elbow	65	/
RD621-0501	2"Spg x2"Spg x2"Spg - Tee	45	/
RD621-0420	2"Spg x2"Spg x2"Spg - Y Manifold	30	/

2" SOC FITTINGS



Part No.	Description	Case Quantity	Remarks
RD411-0421	2"Soc x3/4"Spg Adapter	143	/
RD411-0420	2"Soc x1/2"Soc Adapter	143	/
RD411-0429	2"Soc x3/4"Spg Adapter - clear	143	/
RD411-0428	2"Soc x1/2"Soc Adapter - clear	143	/

GENERAL FITTINGS

COUPLERS



Part No.	Description	Case Quantity	Remarks
RD411-0404	3/4"SB x 3/4" SB Coupler	700	/
RD411-0407	3/8"SB x 3/8" SB Coupler	6,000	/

ADAPTERS



Part No.	Description	Case Quantity	Remarks
RD411-0405	3/4"SB x 3/4" SB x 3/8" Tee	600	/
RD411-0406	3/8"SB x 3/8" Thread Pump Bleeder Adapter	3,600	/
RD411-0423	1/2"Soc /3/4" Spg x 3/4" Soc Adapter	400	/

PLUGS



Part No.	Description	Case Quantity	Remarks
RD411-0417	1/2"Plug	5,400	/
RD621-0516	3/4"Plug	3,600	/

WATER VALVES

VALVES



Flow - Thru Diverter :

- Patent pending Design for less restriction and increased water flow
- High flow 3/4"SB port for ozone, water feature etc.
- Less noise
- Easier to plumb.
- No 90° elbows.
- Fully divert water flow with only a quarter turn.

Part No.	Description	Case Quantity	Remarks
RD601-1030	2" Flow-Thru Diverter Assembly-Delta Cover	6 Sets	/

RD601-1070



RD601-1060



RD601-1080




RD601-2300A



Part No.	Description	Case Quantity	Remarks
RD601-1070	Standard Diverter Assembly-Scalloped"S"Handle	20	/
RD601-1060	Standard Diverter Assembly-Scalloped Index Handle	20	/
RD601-1080	Standard Diverter Assembly-Alpha Handle	20	/
RD601-2300A	1.5" On/Off Valve-Delta Cover-Two Tone	20	/

ON/OFF VALVES(AIR OR WATER)

RD601-2010



RD601-2060



RD601-2070




RD601-2090



RD601-2110



Part No.	Description	Case Quantity	Remarks
RD601-2010	1"SB / 3/4"Soc On/Off Valve Assembly - Notched Cover	50	/
RD601-2060	1"SB / 3/4"Soc On/Off Valve Assembly - Scalloped "S" Cover	50	/
RD601-2070	1"SB / 3/4"Soc On/Off Valve Assembly - Scalloped Index Cover	50	/
RD601-2090	1"SB / 3/4"Soc On/Off Valve Assembly - Alpha Cover	50	/
RD601-2110	1"SB / 3/4"Soc On/Off Valve Assembly - Delta Cover	50	/



Part No.	Description	Case Quantity
RD601-2011	1"SB/3/4"Soc On/Off Valve Notched Cover	500
RD601-2110	1"SB/3/4"Soc On/Off Valve Delta Cover	500
RD601-2060	1"SB/3/4"Soc On/Off Valve Scalloped "S" Cover	500
RD601-2070	1"SB/3/4"Soc On/Off Valve Scalloped Index Cover	500
RD601-2090	1"SB/3/4"Soc On/Off Valve Alpha Cover	500
RD601-2013	1"SB/3/4"Soc On/Off Valve Internal	400
RD601-2014	1"SB/3/4"Soc On/Off Valve Housing	250
RD701-0301	3" O-ring- Black	Packed with Body
RD201-3021	Nut - (3" Jet/On/Off Valve)	800
RD601-2012	1"SB/3/4"Soc On/Off Valve Control Body	120
RD601-2015	1"SB/3/4"Soc On/Off Valve Reducing Coupler	500

DRAIN FITTINGS

DRAIN / FILL VALVE



RD641-1210



RD641-1230

Part No.	Description	Case Quantity	Remarks
RD641-1210	3/4"SOC/1"Spg Spa Drain/Fill Valve	90	/
RD641-1230	Spa Drain/Fill Valve Housing	22	/



RD641-1280

RD641-1250

RD641-1250EU

Part No.	Description	Remarks
RD641-1280	Quick Connect Bib	/
RD641-1250	Hose Bib - NA	/
RD641-1250EU	Hose Bib - EU	/

DRAIN ASSEMBLIES



RD641-1020



RD641-1020S



RD641-1120



RD641-1120S

Part No.	Description	Case Quantity	Remarks
RD641-1020	Drain Assembly (3/4"SB) - Star Face	100	/
RD641-1020S	Drain Assembly (3/4"SB) - S/S Star Face	100	/
RD641-1120	Drain Assembly (3/4"Soc/1"Spg) - Star Face	100	/
RD641-1120S	Drain Assembly (3/4"Soc/1"Spg) - S/S Star Face	100	/

SUCTIONS

SAFE - FLO SUCTIONS

RD641-1110



RD641-1160*or RD641-1170*



Part No.	Description	Case Quantity	Remarks
RD641-1110	Safe - Flo Suction Assembly 2"Spg	24	/
RD641-1160*or RD641-1170*	Safe - Flo Suction Assembly 2"Soc or 2½" Soc	32	/

200 GPM SUCTIONS


RD641-1110*



RD641-1010S*



RD641-1060* or RD641-1070*



RD641-1060S* or RD641-1070S*



Part No.	Description	Case Quantity	Remarks
RD641-1110*	200 GPM Suction Assembly 2"Spg	24	/
RD641-1010S*	200 GPM Suction Assembly 2"Spg(S/S Cover)	24	/
RD641-1060* or RD641-1070*	200 GPM Suction Assembly 2"or 2½"Soc(PC Cover)	36	/
RD641-1060S* or RD641-1070S*	200 GPM Suction Assembly 2"or 2½"Soc(S/S Cover)	36	/

SUCTIONS

125 GPM SUCTIONS



RD641-1110*



RD641-1010S*



RD641-1110



RD641-1130S*

Part No.	Description	Case Quantity	Remarks
RD641-1030*	125 GPM Suction Assembly - 2"Spq	50	/
RD641-1030S*	125 GPM Suction S/S Assembly - 2"Spq	50	/
RD641-1130*	125 GPM Suction Assembly - 2"Soc	50	/
RD641-1130S*	125 GPM Suction S/S Assembly - 2"Soc	50	/

198 GPM SUCTIONS

NEW
 ANSI / APSP-16 2011



RD641-1102-000



RD641-1104-000



RD641-1103-000

Part No.	Description	Case Quantity	Remarks
RD641-1102-000	198 GPM Beehive Suction Asssmbly with 2" Soc Fitting	32	/
RD641-1103-000	198 GPM Beehive Suction Asssmbly with 2" Spg Fitting	32	/
RD641-1104-000	198 GPM Beehive Suction Asssmbly with 2.5" Soc Fitting	24	/

FILTERS/FILTRATIONS


ActiveSkim™ Filter

The new Active Skim™ Filter Canister from Rising Dragon Plastics combines innovative engineering with minimalist design, giving manufacturers a superior filtration system that can be fitted into most existing spa models.

A key ingredient to the performance of this filter is the perpetual silent skimming action provided at both high and low pumps speeds. There are no gates or telescopic tubes to stick, which can lead to pump cavitation. The tight grate pattern prevents duckies and other floating objects from blocking the filter area.


The best part is a particle and hair basket is built right into the floating skimmer, prescreening larger debris prior to the filter itself. When the skimmer is removed from the water the debris is removed with it, unlike skimmer baskets where the debris floats out as soon as the pump is turned off.

The product can be accented with a chrome or even a backlit trim ring and can be private labeled with a customized logo on top of the skimmer.



RD800-1100
 ACTIVE SKIM™ FILTER
 - 2"Socx2"Soc Gaylord Qty:40

FILTERS/FILTRATIONS





SKIMMERS			
Part No.	Description	Case Quantity	Remarks
RD810-1100-000	RD Skimmer Assembly with 2 Filter Access	1	/
RD810-1100-001	RD Skimmer Assembly with 4 Filter Access	1	/

NEW



FILTERS/FILTRATIONS



SKIMMERS			
Item	Item#	Description	Pc/Set
1	RD810-1110001	RD Skimmer Basket	1
2	RD810-1120001	RD Skimmer Body	1
3	RD810-1130001	RD Skimmer Standard Filter Bucket	2
4	RD810-1140001	RD Skimmer Filter Mounting Adaptor	2
5	RD810-1150001	RD Skimmer Front Bezel	1
6	JQ001-103	RD Skimmer Front Sealing Gasket	1
7	WJ002-052	RD Skimmer Screws	14
8	RD810-1160001	RD Skimmer Bucket Extension	4

FILTERS FILTRATIONS



REPLACEMENT CARTRIDGES		
Part No.	Description	Remarks
RD800-2130	800 sqf Generic Micro Filter Cartridge	/
RD800-2120	800 sqf Active Skim Micro Filter Cartridge	/
RD800-2110	Unicel™ Pleated Filter Cartridge	/
RD800-2150	241mm Micro Filter Cartridge	/
RD800-2140	Pre-filter	/



Part No.	Description	Case Quantity	Remarks
RD641-1080	1.5" SAE Thread Filter Adapter - 2"Spg	62	/
RD641-1180	1.5" SAE Thread Filter Adapter - 2"Soc	62	/

AROMATHERAPY

The LastingScents™ Aromatherapy System

Rising Dragon’s LastingScents™ Aromatherapy System gives spa manufacturers an effective feature with little extra cost and functionality that will drive repeat sales.

While the LastingScents™ canister itself is comparable with most other existing scent diaspensing systems but there is a twist . LastingScents™ utilizes an adjustable cartridge that allows the customer to turn the scent on and off and even change the intensity of the scent.This means the system works well and the scent lasts between usages.


LastingScents™ can work with either blower or venturi based air injection systems and installs or retrofits in just a few minutes.

An assortment of LastingScents™ aroma oil cartridges are available and come prepackaged in POP display material,making a new exclusive profit center for you and your dealers.


Install vertical or horizontal



Part No.	Description	Case Quantity	Remarks
RD651-1100	Lasting Scents Aromatherapy Canister-L-Body/T-Body	40	/



AROMATHERAPY



NINE FRAGRANCES AVAILABLE

Part No.	Description	Remarks
RD651-1151	Lasting Scents Essential Oil Pack - CITRUS SORBET - green	/
RD651-1152	Lasting Scents Essential Oil Pack - WILDFLOWERS - violet / purple	/
RD651-1153	Lasting Scents Essential Oil Pack - SUMMER ORCHARD - red	/
RD651-1154	Lasting Scents Essential Oil Pack - PEACH PASSION - orange / peach	/
RD651-1155	Lasting Scents Essential Oil Pack - EVENING MUSK - dark brown	/
RD651-1156	Lasting Scents Essential Oil Pack - SANDALWOOD SPICE - light brown /tan	/
RD651-1157	Lasting Scents Essential Oil Pack - PINA COLADA - white	/
RD651-1158	Lasting Scents Essential Oil Pack - LAVENDER - violet	/
RD651-1159	Lasting Scents Essential Oil Pack - EUCALYPTUS - violet	/

Standard Conventional Aromatherapy with Beads



Part No.	Description	Case Quantity	Remarks
RD651-2100	Standard Aromatherapy Canister-L-Body/T-Body	40	/

LIGHT LENSES

RD641-1110*



RD641-1010S*



CONTAIN

- RD631 - 1041
5" Light Housing Lens
- RD631 - 1042
5" Light Housing Base
- RD201 - 5021
Nut - (5" Jet/5" Light Housing)
- RD701 - 0508
5" O - ring - Clear

Part No.	Description	Case Quantity
RD631-1041	5" light Housing Assembly	36Sets
RD631-1040S	5" light Housing with S/S Ring (Assembly)	36Sets

RD631-1070



RD641-1070S



CONTAIN

- RD631 - 1071
3.5" Light Housing Lens
- RD631 - 1072
3.5" Light Housing Base
- RD201 - 4021
4" Jet Nut
- RD701 - 0408
4" O - ring - Clear

Part No.	Description	Case Quantity
RD631-1071	3.5" light Housing Assembly	120Sets
RD631-1070S	3.5" light Housing with S/S Ring (Assembly)	120Sets

RD631-1060



RD631-1060S



CONTAIN

- RD631 - 1061
2" Light Housing Lens
- RD631 - 1062
2" Light Housing Base
- RD201 - 2021
2" Jet Nut
- RD701 - 0202
2" O - ring - Clear

Part No.	Description	Case Quantity
RD631-1060	2" light Housing Assembly	230 Sets
RD631-1060S	2" light Housing with S/S Ring (Assembly)	230 Sets

MINI POL HOUSINGS



Part No.	Description	Case Quantity	Remarks
RD631-1080	POL Nut Housing	6,000	/
RD631-1050	Standard Mini POL Light Housing - Clear	4,000	/
RD631-1110	1" Multi - Facet POL Light Housing - Clear	3,000	/
RD631-1120	Blossom Mini POL Light Housing - Clear	4,000	/
RD631-1130	Pinwheel Mini POL Light Housing -Clear	4,000	/
RD631-1140	Sun Mini POL Light Housing - Clear	4,000	/
RD631-1150	Anchor Mini POL Light Housing -Clear	4,000	/
RD631-1155	Anchor POL Light Housing - Opaque	4,000	/
RD631-1115	1" Multi - Facet POL Light Housing -Opaque	3,000	/
RD631-1125	Blossom Mini POL Light Housing - Opaque	4,000	/
RD631-1135	Pinwheel Mini POL Light Housing -Opaque	4,000	/
RD631-1145	Sun Mini POL Light Housing - Opaque	4,000	/

INSTALLATION NOTES

HOLE SAW SIZES

Hole saw size		Hole saw size	
Puoducts	Hole saw size(mm)	Puoducts	Hole saw size(mm)
1"Jets	ø22.40	2"Water Diverter	ø81.80
2" Jets	ø38.50	Drain Assembly	ø30.70
2.5"Jets	ø44.50	3/4"Soc/1"Spg Spa Drain/Fill Valve without housing	ø44.00(keyed to stay in place: ø8.00*4.30)
3" Jets	ø55.30	Spa Drain/Fill Valve Housing	ø134.00
4"Jets	ø65.70	Diffusion Return Wall Fitting	ø73.30
5" Jets	ø95.50	1.5"SAE Thread Filter Adapter	ø73.30
Whirlpool Jets	ø94.00	125GPM Suction	ø73.30
Therapy Air Injectors	ø22.40	200GPM Suction	ø82.80
3/4"SB Waterfall	ø28.50	Active Skim Filter	ø172.00
Water Slot	ø205.30*40.20	Mini POL Housing	ø12.20
Thermo-well	ø28.10	2"Light Housing	ø44.50
1"SB/3/4"Soc On/Off Valve	ø55.00	3.5"Light Housing	ø65.50
1"Air Control	ø43.90	5"Light Housing	ø94.50
Amomatherapy Canister	ø44.90		

RECOMMENDED FLOW AND PRESSURE REQUIREMENT

DIRECTIONAL JET					
Jet Size	10 PSI	15PSI		Moderate PSI	
1"	4	5	GPM	10 - 12PSI	
2"	4	5	GPM	10 - 12PSI	
2.5"	6	7	GPM	10 - 12PSI	
3"	8	9	GPM	9 - 11PSI	
4"	8	9	GPM	9 - 11PSI	
5"	10	12	GPM	9 - 11PSI	
SPINNING JET					
Jet Size	10 PSI	15PSI		Moderate PSI	
1"	4	5	GPM	10 - 12PSI	
2"	4	5	GPM	10 - 12PSI	
2.5"	9	10	GPM	9 - 11PSI	
3"	9	10	GPM	9 - 11PSI	
4"	9	10	GPM	9 - 11PSI	
5"	14	17	GPM	9 - 11PSI	
Whirlpool	1/2"Orifice	23	28	GPM	7 - 9 PSI
	5/8"Orifice	40	43	GPM	7 - 9 PSI
	3/4"Orifice	63	66	GPM	7 - 9 PSI

POOL & SPA LIGHTS



Rising Dragon Technology (RDT) is an advanced product development firm dedicated to creating new LED technologies and applications.

At RDT, we pride ourselves on developing products that are easier to use and install than competitive products and that performs beyond expectations.

While most products in this industry still utilize traditional LEDs: arrays of tiny red, green and blue LEDs haphazardly arranged on a board without regard for proper color mixing and over effect, RDT uses Precision Beam Diffusion™ techonlogy to deliver perfectly mixed TURE color, even white!

Further, we use Wide Radius Projection™ technology to deliver more light to all areas of your pool or spa and create light that is pure, warm and mood enhancing unlike anything else on the market.

Precision Beam Diffusion™ and Wide Radius Projection™ are technologies exclusive to our Evolution and Pinnacle lighting series.

PINNACLE™ SERIES (2 WIRE SYSTEM)

Our Pinnacle™ Series is a breakthrough design that will revolutionize any installation. Combining Precision Beam Diffusion, Wide Radius Projection and newly patented method the Pinnacle™ System really sets the standard for lighting excellence. Like the Evolution system the Pinnacle system still connects to the spa via a 12V AC out connection. This system also uses a Master light or a separate Controller to run the various lighting programs but that is where the similarities end. With the Pinnacle™ System there are no complicated cabling or hub layouts.

Installation is as simple as running one perimeter cable around the spa and using the patented splicing method to attach lights anywhere along this perimeter line.


Installation is quicker, easier and cleaner. The key is how the processors communicate with the other lights in the system. Rather than relying on signals being sent to corresponding diode wires, signals are sent and received using special chips sending instructions to each light. Breakthrough methodology that simplifies even the most demanding of lighting applications.


The Pinnacles system is designed to be 100% waterproof and can even be fully immersed in a spa!

Like the Evolution™ Series the Pinnacle™ series also steps down from 12V to 5V to reduce heat and increase your systems the life expectancy while still delivering more light to your eyes with less energy than any product in the industry. It also shares the memory function.


We guarantee that the Pinnacle™ system is superior, less costly, and easier to install than what you are presently using and we back this with a full three-year warranty! Less cable saves you money. Easier Installation saves you time and money! Longer life and easier warranty solutions save you money on the back end!

Now you know why we named this system the Pinnacle™ Series. It is the top of the class for this application!





Installation Illustration



MASTER LIGHTS



L1MTC-00ATL

L1MTC Master Light - Two Wire System (fully epoxy encased)



L3MTC-00ATL

L3MTC Master Light - Two Wire System (fully epoxy encased)



L4MTC-00ATL

L4MTC Master Light - Two Wire System (fully epoxy encased)



L7MTC-00ATL

L7MTC Master Light - Two Wire System (fully epoxy encased)

Item No.	Model	Bulb Quantity	Color	Voltage	Power (Without POL)	Max Capability (POL)	Input/Output Connector	Notes
L1MTC-00ATL	L1MTC	1	RGB	AC 12V	0.2 W	10	Two wire waterproof connector	Turn the power on/off to switch modes
L3MTC-00ATL	L3MTC	3	RGB	AC 12V	0.6 W	10	Two wire waterproof connector	Turn the power on/off to switch modes
L4MTC-00ATL	L4MTC	4	RGB	AC 12V	0.8 W	30	Two wire waterproof connector	Turn the power on/off to switch modes
L7MTC-00ATL	L7MTC	7	RGB	AC 12V	1.4 W	30	Two wire waterproof connector	Turn the power on/off to switch modes

CONTROLLERS




K100A-TA0TL

K100 Controller - Two Wire System



K040L-TA0TL

K40 Controller - Two Wire System



K075L-TA0TL

K75L Controller - Two Wire System



K150B-TA0TL

K150B Controller - Two Wire System

Item No.	Model	Voltage	Power (Without POL)	Max Capability (POL)	Input/Output Connector	Notes
K100A-TA0TL	K100ATA	AC 12V+DC 5V	20 W	100	YL-2P Pin connector	①.Turn the power on/off to switch modes. ②.It has short circuit protection function.
K040L-TA0TL	K40LTA	AC 12V	8 W	40	YL-2P Pin connector	①.Turn the power on/off to switch modes. ②.It has short circuit protection function.
K075L-TA0TL	K075LTA	AC 12V	15 W	75	YL-2P Pin connector	①.Turn the power on/off to switch modes. ②.It has short circuit protection function.
K150B-TA0TL	K150BTA	AC 12V+DC 5V	30 W	150	YL-2P Pin connector	①.Turn the power on/off to switch modes. ②.It has short circuit protection function.

MAIN LIGHTS



L1STC-00ATL
L1S RGB Main Light
(fully epoxy encased)



L3STA-00ATL
L3STA Main Light
(fully epoxy encased)



L4STG-00ATL
L4S RGB Main Light
(fully epoxy encased)



L7STG-00ATL
L7S RGB Main Light
(fully epoxy encased)



L15ST-G0ATL
L15S RGB Main Light
(fully epoxy encased)



RD631-2040
Cabinet Light



L1STB-00ATL
Snap Light (D3)

Item No.	Product	Bulb Quantity	Color	Voltage	Power	Input/Output Connector	Standard Wire Length	Notes
L1STC-00ATL	L1STC	1	RGB	DC 5V	0.2 W	Splice	1M	Modes are changed by controller or master light
L3STA-00ATL	L3STA	3	RGB	DC 5V	0.6W	Splice	1M	Modes are changed by controller or master light
L4STG-00ATL	L4STG	4	RGB	DC 5V	0.8 W	Splice	1 M	Modes are changed by controller or master light
L7STG-00ATL	L7STG	7	RGB	DC 5V	1.4 W	Splice	1 M	Modes are changed by controller or master light
L15ST-G0ATL	L15STG	15	RGB	DC 5V	3.0 W	Splice	1 M	Modes are changed by controller or master light
RD631-2040	Sconce Light	3	RGB	DC 5V	0.6 W	Splice	1 M	Modes are changed by controller or master light
L1STB-00ATL	L1STB(D3)	1	RGB	DC 5V	0.2 W	Splice	1 M	Modes are changed by controller or master light

MINI POLS



MINIO-RD0Z1
Point of Light, LED,
Single Mini

MINIO-RD0Z2
Point of Light, LED,
Double Mini

MINIO-RD0Z3
Point of Light, LED,
Triple Mini

MINIO-RD0Z4
Point of Light, LED,
Quadri Mini


MINIO-RD0Z6
Point of Light, LED,
Six Mini,all leads 24"

Item No.	Model	Bulb Quantity	Color	Voltage	Power	Input/Output Connector	Standard Wire Length	Notes
MINIO-RD0Z1	Single Mini	1	RGB	DC 5V	0.2 W	Splice	1 M	Modes are changed by controller or master light
MINIO-RD0Z2	Double Mini	2	RGB	DC 5V	0.4 W	Splice	1 M	Modes are changed by controller or master light
MINIO-RD0Z3	Triple Mini	3	RGB	DC 5V	0.6 W	Splice	1 M	Modes are changed by controller or master light
MINIO-RD0Z4	Quadri Mini	4	RGB	DC 5V	0.8 W	Splice	1 M	Modes are changed by controller or master light
MINIO-RD0Z6	Six Mini	6	RGB	DC 5V	1.2 W	Splice	1 M	Modes are changed by controller or master light


■ **PINNACLE PLUS SERIES (2 WIRE SYSTEM & SPEED CLAMP)**

FEATURES:


- Pinnacle Lighting Series UPGRADED!
- Work with Gecko & Balboa new top-side control with lighting selections.
- Tools free!
- Improve installation efficiency by 25%!
- Four Pin input, compatible with spa control WITH or WITHOUT PWM data output.



❶ Put the bus wire into the slot, according to the color indication.




❷ Screw on the butterfly cap clockwise to finish installation.



■ **INDUCTIVE SPA LIGHT**

FEATURES:

- Patented "Inductive powered and controlled" spa lighting system
- Totally front accessible light bulb
- 100% leaking free
- Underwater maintenance service guaranteed





NEW LIGHTING SYSTEMS


EVOLUTION PLUS SERIES (4 WIRE SYSTEM)
EVOLUTION™ SERIES (4 WIRE SYSTEM)
ELECTRUM™ SERIES
LUMI-SOFT™ LIGHTING SERIES

■ EVOLUTION PLUS SERIES (4 WIRE SYSTEM)


FEATURES:

- Work with Gecko® & Balboa® new top-side control with lighting selections.
- Now even easier to install and service! Tool-less installation with secure connections
- One controller that does it all. Our new smart sensing controller auto detects your spa control system, no matter whose controller it is.
- More lighting options than ever before!
- Same great quality, warranty, and customer support!



① Insert the mating plugs.




② Push the nut forward until you hear the "click". Do not turn the nut.



③ Rotate the nut counter clockwise (around 45°) to disconnect.





- Now even easier to install and service!
- Tool-less installation with quick and secure connections.
- One controller (master light) does it all.
- Our new smart sensing controller auto detects your spa control system, no matter whose controller it is.
- More lighting options than ever before!
- Same great quality, warranty, and customer support!

Supporting "MULTI-ZONE" lighting control
(*applicable for spa control system with MULTI-ZONE function)!

■ EVOLUTION PLUS SERIES (4 WIRE SYSTEM) - Spa Controller

SPECIFICATION

INPUT VOLTAGE : PWM DC 12V
MAX. POWER CONSUMPTION : According to the spa controller output
COLOR : RGB
IP RATING : IP65
MULTI-ZONE FUNCTION: Applicable
AMBIENT TEMP : -4° F ~ 104° F
CERTIFICATIONS : ETL (UL1563, CSA C22.2)
INCLUDED ITEMS : See the attached item breakdown.


	CODE	NAME	REMARKS
1	302000-00313	1m Signal Cable - Evolution Plus Series	1A OUTPUT COULD RUN UP TO 40 POL'S 2A OUTPUT COULD RUN UP TO 60 POL'S
2	1L3SFG-00ATL	L3S RGB Main Light - Evolution Plus Series	DC 12V, 0.75W, 3 LED, RGB
3	1L4SFG-01ATL	L4S RGB Main Light - Evolution Plus Series	DC 12V, 1W, 4 LED, RGB
4	1L7SFG-01ATL	L7S RGB Main Light - Evolution Plus Series	DC 12V, 1.75W, 7LED, RGB
5	1L15SF-G2ATL	L15S RGB Main Light - Evolution Plus Series	DC 12V, 3.75W, 15 LED, RGB
6	1MINIO-RD0F1	Point of Light, LED, Single Mini - Evolution Plus Series	DC 12V, 0.5W
7	1MINIO-RD0F2	Point of Light, LED, Double Mini - Evolution Plus Series	DC 12V, 0.5W
8	1MINIO-RD0F3	Point of Light, LED, Triple Mini - Evolution Plus Series	DC 12V, 0.69W
9	1MINIO-RD1F4	Point of Light, LED, Quadri Mini - Evolution Plus Series	DC 12V, 0.92W
10	1MINIO-RD0F6	Point of Light, LED, Six Mini - Evolution Plus Series	DC 12V, 1.2W
11	1MINIO-RD2F4	Point of Light, LED, Quadri Mini - Evolution Plus Series (2×18" wires, 2×36" wires)	DC 12V, 0.92W
12	1MINIO-RD1F6	Point of Light, LED, Six Mini - Evolution Plus Series (2×18" wires, 4×36" wires)	DC 12V, 1.2W
13	302000-00311	5' Extension Cable - Evolution Plus Series	
14	302000-00312	10' Extension Cable - Evolution Plus Series	


■ EVOLUTION PLUS SERIES (4 WIRE SYSTEM) - Master Light

SPECIFICATION

INPUT VOLTAGE : AC 12V
MAX. POWER CONSUMPTION : 10W
COLOR : RGB
IP RATING : IP65
MULTI-ZONE FUNCTION: Applicable
AMBIENT TEMP : -4°F ~ 104°F
CERTIFICATIONS : ETL (UL1563, CSA C22.2)
INCLUDED ITEMS : See the attached item breakdown.

	CODE	NAME	REMARKS
1	1L4MFC-01ATL	L4MFC Master Light - Evolution Plus Series	AC 12V, 1.5W, Run up to 40 POL, Max.10W
2	1L7MFC-03ATL	L7MFC Master Light - Evolution Plus Series	AC 12V, 2W, Run up to 40 POL, Max.10W
3	1L3SFG-00ATL	L3S RGB Main Light - Evolution Plus Series	DC 12V, 0.75W, 3 LED, RGB
4	1L4SFG-01ATL	L4S RGB Main Light - Evolution Plus Series	DC 12V, 1W, 4 LED, RGB
5	1L7SFG-01ATL	L7S RGB Main Light - Evolution Plus Series	DC 12V, 1.75W, 7LED, RGB
6	1L15SF-G2ATL	L15S RGB Main Light - Evolution Plus Series	DC 12V, 3.75W, 15 LED, RGB
7	1MINIO-RD0F1	Point of Light, LED, Single Mini - Evolution Plus Series	DC 12V, 0.5W
8	1MINIO-RD0F2	Point of Light, LED, Double Mini - Evolution Plus Series	DC 12V, 0.5W
9	1MINIO-RD0F3	Point of Light, LED, Triple Mini - Evolution Plus Series	DC 12V, 0.69W
10	1MINIO-RD1F4	Point of Light, LED, Quadri Mini - Evolution Plus Series	DC 12V, 0.92W
11	1MINIO-RD0F6	Point of Light, LED, Six Mini - Evolution Plus Series	DC 12V, 1.2W
12	1MINIO-RD2F4	Point of Light, LED, Quadri Mini - Evolution Plus Series (2×18" wires, 2×36" wires)	DC 12V, 0.92W
13	1MINIO-RD1F6	Point of Light, LED, Six Mini - Evolution Plus Series (2×18" wires, 4×36" wires)	DC 12V, 1.2W
14	302000-00311	5' Extension Cable - Evolution Plus Series	
15	302000-00312	10' Extension Cable - Evolution Plus Series	





■ EVOLUTION PLUS SERIES (4 WIRE SYSTEM) - RDT Controller

SPECIFICATION


INPUT VOLTAGE : AC 12V
MAX. POWER CONSUMPTION : 20W
COLOR : RGB
IP RATING : IP65
MULTI-ZONE FUNCTION: Applicable
AMBIENT TEMP : -4°F ~ 104°F
CERTIFICATIONS : ETL (UL1563, CSA C22.2)
INCLUDED ITEMS : See the attached item breakdown.

	CODE	NAME	REMARKS
1	1K75LF-A01TL	K75LFA Controller - Evolution Plus Series	AC 12V, Max. 20W, run up to 75 POL,
2	1L3SFG-00ATL	L3S RGB Main Light - Evolution Plus Series	DC 12V, 0.75W, 3 LED, RGB
3	1L4SFG-01ATL	L4S RGB Main Light - Evolution Plus Series	DC 12V, 1W, 4 LED, RGB
4	1L7SFG-01ATL	L7S RGB Main Light - Evolution Plus Series	DC 12V, 1.75W, 7LED, RGB
5	1L15SF-G2ATL	L15S RGB Main Light - Evolution Plus Series	DC 12V, 3.75W, 15 LED, RGB
6	1MINIO-RD0F1	Point of Light, LED, Single Mini - Evolution Plus Series	DC 12V, 0.5W
7	1MINIO-RD0F2	Point of Light, LED, Double Mini - Evolution Plus Series	DC 12V, 0.5W
8	1MINIO-RD0F3	Point of Light, LED, Triple Mini - Evolution Plus Series	DC 12V, 0.69W
9	1MINIO-RD1F4	Point of Light, LED, Quadri Mini - Evolution Plus Series	DC 12V, 0.92W
10	1MINIO-RD0F6	Point of Light, LED, Six Mini - Evolution Plus Series	DC 12V, 1.2W
11	1MINIO-RD2F4	Point of Light, LED, Quadri Mini - Evolution Plus Series (2×18" wires, 2×36" wires)	DC 12V, 0.92W
12	1MINIO-RD1F6	Point of Light, LED, Six Mini - Evolution Plus Series (2×18" wires, 4×36" wires)	DC 12V, 1.2W
13	302000-00311	5' Extension Cable - Evolution Plus Series	
14	302000-00312	10' Extension Cable - Evolution Plus Series	

■ EVOLUTION™ SERIES (4 WIRE SYSTEM)

Our Evolution™ Series is a molded plug daisy chain cording that utilizes both Precision Beam Diffusion and Wide Radius Projection. This system is designed to connect to spa packs via a 12V AC out connection. This either connects to one of our Master Main lights or to a separate Controller. The Master Light or controller is then connected to one or more slave lights, which are either large main lights or harness arrays of single Points of Light(POLs). This system replaces current hub style systems and other corded systems that are not as easy to use as ours or as waterproof.

The Evolution™ Series steps down from 12V to 5V to reduce heat and increase the life expectancy of your lights greatly. The fact that we still produce light that out shines our competitors is a testament of overall efficiency of this product.



MEMORY FUNCTION

All our lights remember your last setting so you do not have to scroll through every time to find your favorite!

MASTER LIGHTS



L4MFC-00ATL
L-4 RGB Master Light
(fully epoxy encased)



L7MFC-00ATL
L-7 RGB Master Light
(fully epoxy encased)



L4A00-00ATL
L-4A RGB Master Light




L7A00-00ATL
L-7A RGB Master Light



L15A0-00ATL
L-15A RGB Master Light

Item No.	Model	Bulb Quantity	Color	Voltage	Power (Without POL)	Max Capability (POL)	Input/Output Connector	Notes
L4MFC-00ATL	L4MFC	4	RGB	AC 12V	0.8 W	30	Four wire waterproof connector	Turn the power on/off to switch modes
L7MFC-00ATL	L7MFC	7	RGB	AC 12V	1.4 W	30	Four wire waterproof connector	Turn the power on/off to switch modes
L4A00-00ATL	L4A	4	RGB	AC 12V	0.8 W	30	2.54*4Pin Connector	Turn the power on/off to switch modes
L7A00-00ATL	L7A	7	RGB	AC 12V	1.4 W	30	2.54*4Pin Connector	Turn the power on/off to switch modes
L15A0-00ATL	L15A	15	RGB	AC 12V	0.8 W	30	2.54*4Pin Connector	Turn the power on/off to switch modes

CONTROLLERS



K100A-FA0TL
K100 Controller-Four Wire System



K040L-FA0TL
K100 Controller-Four Wire System

Item No.	Model	Power	Max Capability (POL)	Input/Output Connector	Standard Wire Length	Notes
K100A-FA0TL	K100AFA	20 W	100	Four wire waterproof connector	0.3 M	1. Turn the power on/off to switch modes. 2. It has short circuit protection function.
K040L-FA0TL	K40LFA	8 W	40	Four wire waterproof connector	0.3 M	1. Turn the power on/off to switch modes. 2. It has short circuit protection function.

SLAVE LIGHTS



L1SFC-00ATL
L-1S RGB Slave Light
(fully epoxy encased)



L4S00-00ATL
L-4S RGB Slave Light



L7S00-00ATL
L-7S RGB Slave Light



L15S0-00ATL
L-15S RGB Slave Light

Item No.	Model	Bulb Quantity	Color	Voltage	Power (Without POL)	Input/Output Connector	Notes
L1SFC-00ATL	L1SFC	1	RGB	DC 5V	0.2 W	Four wire waterproof connector	Modes are changed by controller or master light
L4S00-00ATL	L4S	4	RGB	DC 5V	0.3 W	2.54*4Pin Connector	Modes are changed by controller or master light
L7S00-00ATL	L7S	7	RGB	DC 5V	1.4 W	2.54*4Pin Connector	Modes are changed by controller or master light
L15S0-00ATL	L15S	15	RGB	DC 5V	3.0 W	2.54*4Pin Connector	Modes are changed by controller or master light

MINI POLS



MINIO-Q0Y31

20"(0.5mm)Single-POL Unit(Molded Pug)

MINIO-Q0Y32

20"(0.5mm)Double-POL Unit(Molded Pug)

MINIO-Q0Y33

20"(0.5mm)Triple-POL Unit(Molded Pug)

MINIO-Q0Y34


20"(0.5mm)Quadri-POL Unit(Molded Pug)

Item No.	Model	Bulb Quantity	Color	Voltage	Power	Input/Output Connector	Standard Wire Length	Notes
MINIO-Q0Y31	Single POL Unit	1	RGB	DC 5V	0.2 W	Four wire waterproof connector	0.5 M	Modes are changed by controller or master light
MINIO-Q0Y32	Double POL Unit	2	RGB	DC 5V	0.4 W	Four wire waterproof connector	0.5 M	Modes are changed by controller or master light
MINIO-Q0Y33	Triple POL Unit	3	RGB	DC 5V	0.6 W	Four wire waterproof connector	0.5 M	Modes are changed by controller or master light
MINIO-Q0Y34	Quadri POL Unit	4	RGB	DC 5V	0.8 W	Four wire waterproof connector	0.5 M	Modes are changed by controller or master light

ELECTRUM™ SERIES

FEATURES:


- A more cost effective spa lighting system
- Specially designed splendid Golden Amber glow
- Preprogrammed "Twinkle" lighting display
- Convenient Daisy Chain connecting system





LUMI-SOFT™ LIGHTING SERIES

- FEATURES:
- Hot-spot-free flexible linear lighting fixture
 - UV resistant and weather proof Poly material specifically designed for SPA industry – NO SILICONE
 - Front Fire and Side Fire design available, achieving the most elegant atmosphere lighting
 - Providing full solution for customized SPA lighting design

LUMI-SOFT™ Front Fire





Item No.	Input Voltage	Max. Power Consumption	LED Qty	Color	Beam Angle	Dimensions	IP Rating	Multi-Zone Function	Ambient Temp
1ROPE0-01ATL	PWM DC12V	27W (98")	210 (98")	RGB	160°	W 18mm x H 11.5mm	IP66	Applicable	-40°F ~ 140°F



LUMI-SOFT™ Side Fire



Item No.	Input Voltage	Max. Power Consumption	LED Qty	Color	Beam Angle	Dimensions	IP Rating	Multi-Zone Function	Ambient Temp
1ROPE0-00ATL	PWM DC12V	16W (98")	210 (98")	RGB	160°	W 11mm x H 18mm	IP66	Applicable	-40°F ~ 140°F




SPA ACCESSORIES



*Designed
Engineered*

Designed, Engineered, and Manufactured in China with Ratings You Can Trust.

■ SPA COVERS



We offer full cover manufacturing facilities for OEM manufacturers.
We can custom design covers to any size, shape or specification.
All our covers are ETLus tested to meet ASTM ratings.

■ SPA COVER BAGS

SPA BAG



The perfect packaging solution for shipping spas from the manufacturer to the dealer and from their to the end client. Environmentally friendly bag is left with the end client as a protective cover if the spa is not used for an extended period or the bags can be returned and reused. No garbage to dispose of. The bags are built with durable weather and UV resistant tarpaulin material and feature soft foam reinforcement to protect cabinet rails, acrylic shells as specified by the OEM. Completely customizable to your shipping method and can include velcro, zippers, reinforced strap guides, label window, elastic or belted base and even private label logo printing.

COVER BAG

*Use a bag instead of a cardboard box for the same price!



■ COVER LIFTERS

The cover lifters are made of black powder coated Aluminum Alloy components and 100% stainless hardware, providing years of trouble free performance.

CABINET FREE COVER SHELF



RD801-9200

CABINET FREE COVER BASKET



RD801-8700

CABINET FREE COVER REST



RD801-9800

■ COVER LIFTERS

The cover lifters are made of black powder coated Aluminum Alloy components and 100% stainless hardware, providing years of trouble free performance.

CABINET MOUNT LIFTER



RD801-9020

CABINET FREE UNIVERSAL ASSIST LIFTER



RD801-9100

CABINET MOUNT ASSIST LIFT & LOCK





RD801-8500

■ COVER SAVER & HAND RAILS

PATENTED UNIVERSAL COVER SAVER

US patent # 6802086



FEATURES:

- Extend the life of your Spa Cover.
- Transfer the weight from the cover's weakest area to the strongest area.
- Prevent damage to the center seam of the cover.
- Easy to Install. No tools required.
- Universal for any new or existing CENTER BAR COVER LIFTERS.
- Removable or permanent application can be used.

SAFETY HAND RAILS



■ EVA SPA PILLOWS

EVA UNIVERSAL PILLOWS

FEATURES:

- Will not absorb water or deteriorate like PU pillows
- Highly chemical resistant.
- Super comfortable.



Part No.	Description	Case Quantity
RD631-3000	universal pillow	20

EVA ADJUSTABLE PILLOWS



RD631-2000

- Adjusts to many heights for a perfect fit

Part No.	Description	Case Quantity	Remarks
RD631- 2000	ADJUSTABLE PILLOW	16	/

NOTES